RECEIVED CENTRAL FAX CENTER

NOV 1 8 2005

FTC/SB/97 (09-04)

Approved for use through 07/31/2006, CMB 9651-0031 U.S. Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMS control number

To: (571) 273-8300 Attn: Examiner Anh T. Mai

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

November 18, 2005

on

Date

Signature

Patrick M. Bergin

Typed or printed name of person signing Certificate

54,994

414-225-7563

Registration Number, if applicable

Telephone Number

App. No.

10/604,654

Inventor:

Neil Clarke, et al

Filed:

August 7, 2003

Examiner:

Anh T. Mai

Confirmation No.

1653

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Amendment C

This collection of information is required by 37 CFR 1.3. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1,3 minutes to complete, including gathering preparing, and aubmitting the combleted application form to the LSPTC. Time will vary depending upon the individual case. Any comments on the amount of this you require to complete this form and/or suggestions for reducing this burden should be sent to the CF or information. U.S. Patent and Trademark Office, U.S. Department of Continence, P.O. Box 1450, Alexandria, VA. 22313-1450. DO NOT SEND FEES OR COMPLETED PORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 1 8 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Neil Clarke, et. al.

Date: November 18, 2005

Ser. No.: 10/604,654

Confirmation No.: 1653

Filed: August 7, 2003

Examiner: Anh T. Mai

Art Unit: 2832

Docket No. 124613MG

For: APPARATUS FOR ACTIVE

COOLING OF AN MRI PATIENT BORE

IN CYLINDRICAL MRI SYSTEMS

AMENDMENT C

INTRODUCTORY COMMENTS A)

In response to the Official Action of August 18, 2005, applicants request reconsideration of their application for a patent.